

STATE OF TENNESSEE PCMH AND THL WEBINAR

LGBTQ Health: Caring for LGBTQ Patients and Families 9/30/2019

Del Ray Zimmerman (he/him/his) is the Director of the Office for Diversity Affairs and LGBTQ Health at Vanderbilt University Medical Center where he recently received the organization's top staff accolade, the Five Pillar Leader Award. He regularly facilitates trainings in LGBTQ healthcare and unconscious bias and served on a team that launched two transgender health clinics last year. He has more than 20 years of experience in nonprofit management, including volunteer leadership with GLSEN Tennessee and OutCentral Cultural Center.




Mary Romano, MD, MPH (she/her/hers) is an Associate Professor in the Division of Adolescent / Young Adult Health at Monroe Carrell Jr. Children's Hospital at Vanderbilt and has been on faculty since 2007. Her clinical interests include adolescent gynecology, contraceptive management in medically complex patients, LARC use in adolescents / young adults, menstrual suppression in adolescents with physical / intellectual disabilities, menstrual disorders, and LGBTQI2 health. She worked to develop and is part of a multispecialty transgender clinic for children and adolescents.



Interactive Webinar

Communicating during the webinar:

- For questions or comments during the presentation, please click on the chat box function
- Select "Everyone" and enter your question or comment
- This will also be used during all Q&A portions of the presentation





TERMINOLOGY



Sex

A medically assigned identity based on our phenotype (physical packaging)– karyotype (XY, XX), external genitalia.



female, male, intersex

Gender Identity



Our inner sense of being a man, woman, or another gender.

"How the mind and the heart regard the body."

woman, man, transwoman, transman, genderqueer



Gender Expression



The ways in which we externally communicate our gender identity to others.

Occurs through mannerisms, clothing, body language, self expression.

feminine, masculine, androgynous, butch, femme

Sexual Identity

An enduring emotional, romantic, sexual, affectional, & relational attraction to other people.

Determined by the personally significant sexual or romantic attractions one has, and the way in which someone self-identifies.



lesbian, gay, bisexual, MSM, WSW, queer, asexual, pansexual, straight



Dimensions of Sexual Orientation

Identity

Do you consider yourself gay, lesbian, bisexual, straight, queer, something else?

Behavior

Do you have sex with men, women, both?

Attraction/Desir


What gender(s) are you attracted to?



The Genderbread Person v3.3

Gender is one of those things everyone thinks they understand, but most people don't. Like *Inception*. Gender isn't binary. It's not either/or. In many cases it's both/and. A bit of this, a dash of that. This tasty little guide is meant to be an appetizer

by it's pronounced METROSEXual com






Binary Gender / Sexuality Model

Sex

Gender Identity

Gender Expression/Role

Sexual Orientation




(More) Inclusive Model

Sex

Gender Identity

Gender Expression


Sexual Orientation





Gender


- **Transgender** A person whose gender identity differs from their sex assigned at birth
- Cisgender A person whose gender identity is concordant with their sex assigned at birth





Gender Identity ≠ Sexual Orientation

- Sexual orientation
 - How a person identifies their physical and emotional attraction to others
 - Dimensions include: desire/attraction, behavior, and identity
- All people have a sexual orientation and a gender identity
- Transgender people can be any sexual orientation





(Grant et al 2010)

14

Gender Affirmation

- Gender affirmation (transition) is the process by which individuals are affirmed in their gender identity
- Transgender people may choose to make social, medical, and/or legal changes to affirm their gender identity, including:
 - Legal: e.g., changing their name and sex on birth certificate, driver's license, etc.
 - Social: e.g., clothing, pronouns, name
 - Medical: e.g., cross-sex hormones, surgery





Gender

- Transgender people use many different terms to describe themselves. These terms continue to evolve.
- Current, common terminology:
 - Transgender woman, trans woman, male-to-female (MTF)
 - Transgender man, trans man, female-to-male (FTM)



How Do I Talk About Transgender People?

- Incorrect: "Max is transgendered."
 Correct: "Max is transgender."
- Incorrect: "Max is a transgender," Correct: "Max is a transgender person."
- When referring to a transgender person, you should always use the person's pronouns and name.
- Transgender women should NEVER be referred to as male or as men. Transgender men should NEVER be referred to as female or as women.

- What terminology is offensive (or outdated)?
 - Transvestite
 - She-male
 - He-she
 - It
 - Transsexual (pathologizing)
 - Tranny
 - Hermaphrodite
 - Pre-Op/Post-Op
 - Sex Reassignment Surgery




Gender Pronouns

Please note that these are not the only pronouns. There are an infinite number of pronouns as new ones emerge in our language. Always ask someone for their pronouns.


| Norm | Objective | Possessive Pronoun | Reflexive | Example |
|------|-----------|-----------------------|---------------------|--|
| She | Her | Hers | Herself | She is speaking. I listened to her. The backpack is hers. |
| He | Him | His | Himself | He is speaking. I listened to him. The backpack is his. |
| They | Them | Theirs | Themself | They are speaking. I listened to them. The backpack is theirs. |
| Ze | Hir/Zir | Hirs/Zirs | Hirself/ Zirself | Ze is speaking. I listened to hir. The backpack is zirs. |

Design by Landyn Pan



For more information, go to transstudent.org/graphics





Differences in Sex Development (DSD)

- An individual whose external phenotype (genitalia) and internal sex organs (uterus, testes, ovaries) differ from what is expected based on karyotype (XY, XX)
- Sometimes referred to as "intersex"
- DSD people are occasionally grouped with transgender people, but they
 are not the same
 - Special and specific health care needs
- For more information on DSD/intersex, visit: <u>www.dsdguidelines.org</u> and <u>www.isna.org</u>





WHY DISCUSS LGBTQ HEALTH?

Why Discuss LGBTQ Health?

- There are significant LGBTQ health disparities
 - Health outcomes and treatment
 - Access to care
 - Lack of culturally competent care
- Healthcare providers can contribute to these disparities
 - Negative environment
 - Bias and discrimination
 - Lack of appropriate education
 - Poor cultural sensitivity / communication
 - Limited outreach and advocacy





- Three to seven times increased risk for suicide
- 10% report attempted suicide in the past year
- Increased risk for obesity, cardiovascular disease, and cancer
- Almost 40% of homeless adolescents are LGBTQ
- LGBTQ Access to Care
 - Two times more likely to be uninsured
 - 56% of LGB and 70% of transgender patients report bias/discrimination when accessing care
 - Pronounced in minority, rural, and lower income LGBT patients





WHAT ARE FACTORS THAT CONTRIBUTE TO LGBTQ HEALTH DISPARITIES?

- Minority stress
 - Theory developed to explain why minority individuals (including sexuality and gender minorities) often suffer physical and mental health experience disparities
 - LGBTQ people face difficult social situations that lead to poor health, including prejudice and discrimination, unequal socioeconomic status, and limited access to healthcare
 - Environmental factors explain minority health disparities better than do genetic factors



- External stressors:
 - Experiences with prejudice, rejection, and discrimination
 - Can lead to internal stressors, including internalized homophobia, remaining in the closet, and vigilance and anxiety about prejudice

Internal and external stressors \rightarrow

Chronically high levels of stress \rightarrow

POOR HEALTH OUTCOME



- Internalized sexual prejudice
 - Commonly known as "internalized homophobia"
 - Negative beliefs, stereotypes, stigmas, and prejudices about homosexuality and LGBTQ identity held by LGBTQ people about themselves, whether or not they identify as LGBTQ
 - Creates a conflict between a person's idealized self-image and his or her actual sexual orientation
 - The person may not be fully consciously aware of this conflict



- Internalized sexual prejudice
 - People with high levels of internalized sexual prejudice tend to hold negative views of their own sexual orientation, ranging from mild discomfort to outright disapproval
 - Chronic internal conflict and negative self-judgment leads to chronic anxiety, depression, repression of sexual desire, forced attempts at heteronormative behavior, and desperate attempts to change one's sexual orientation
 - Likely related to the high rate of self-harm behaviors, substance use, risk-taking behaviors, and suicide among LGBTQ youth and adults



- Co-occurring risk factors
 - Poor family or social support, lack of education, homelessness, substance use, chronic physical illness, psychiatric disorders, discrimination, and hate crimes
 - While heterosexuals experience these stressors, they are far more prevalent among LGBTQ persons



"Coming Out"

- "Coming out" or "coming out of the closet" is process of disclosing one's sexual orientation and/or gender identity
 - Highly individual and uniquely personal experience
 - Influenced by patient's personality, development, resources, family, social environment, cultural background
 - No single "correct" or "best" way to come out
- Process of coming out as LGBTQ to oneself and others can be understood as a developmental process that proceeds through a series of milestones
 - Variety of different models explaining the emergence of positive self-identity among people with minority sexual orientation or gender identity



"Coming Out" Milestone Events

- Models of lesbian, gay, and bisexual identity development generally include variations of these milestone events:
 - Feeling different from peers
 - Same-sex attractions
 - Questioning assumed heterosexuality
 - Experimenting with sexual behaviors
 - Self-identification
 - Disclosure
 - Romantic relationships
 - Self-acceptance and synthesis






Inequality and Health Discrimination in hiring and workplace because few laws **Unequal access to benefits** prohibit employment because benefit applications discrimination on the require I.D. which may show an basis of gender incorrect name or gender; if cut identity; it's hard to off from welfare illegally, it's hard find trans-aware legal to find trans-aware legal assistance assistance Can't apply for jobs or Drop out due to harassment, violence access good employlow income Can't apply for school and/or discrimination at school ment due to lack of I.D. or access higher or because their I.D. education due to lack doesn't match the name no income **barriers** of I.D. or because their or gender they live as I.D. doesn't match the to name or gender they education live as Persistent and severe medical problems: transphobic violence leads to increased mental health and medical problems. **Permanent housing** inaccessible due to No access to health care: housing discrimination trans people are often inadequate in private housing homeless or denied all treatment or market; low-income or no are afraid to seek care due at risk for housing options are to past mistreatment health care often gender-segregated, homelessness and trans people are rejected for placement Trans-specific physical and mental health care needs are Bias, discrimination and ignorance **Temporary housing Kicked out of home** because of abuse often not provided or covered in medicine: inappropriate and inaccessible often rejected from parents and foster parents; trans even if insured; shortage of harmful treatment, including from gender-segregated youth are not allowed to express their knowledgeable health care institutionalization and damaging, shelters or experience harassgender identity in gender-segregated professionals who can provide incompetent medical procedures ment and abuse at shelters group homes trans-specific care



Health Care Access: Quality of Care







Low Uptake of Preventive Services

Delayed health
 screenings due to
 avoidance of care can
 lead to advanced staging
 of chronic conditions at
 first diagnosis, and
 premature death

Access to health services by lesbian, gay, bisexual, and transgender persons: systematic literature review

Grayce Alencar Albuquerque,
☐ Cintia de Lima Garcia, Glauberto da Silva Quirino, Maria Juscinaide Henrique Alves, Jameson Moreira Belém, Francisco Winter dos Santos Figueiredo, Laércio da Silva Paiva, Vânia Barbosa do Nascimento, Érika da Silva Maciel, Vitor Engrácia Valenti, Luiz Carlos de Abreu, and Fernando Adami

Author information ▶ Article notes ▶ Copyright and License information ▶

This article has been cited by other articles in PMC.

Abstract Go to: €

Background

The relationship between users and health services is considered essential to strengthen the quality of care. However, the Lesbian, Gay, Bisexual, and Transgender population suffer from prejudice and discrimination in access and use of these services. This study aimed to identify the difficulties associated with homosexuality in access and utilization of health services.

Method

A systematic review conducted using PubMed, Cochrane, SciELO, and LILACS, considering the period from 2004 to 2014. The studies were evaluated according to predefined inclusion and exclusion criterias. Were included manuscripts written in English or Portuguese, articles examining the Lesbian, Gay, Bisexual, and Transgender population's access to health services and original articles with full text available online.

Results

The electronic databases search resulted in 667 studies, of which 14 met all inclusion criteria. Quantitative articles were predominant, showing the country of United States of America to be the largest producer of research on the topic. The studies reveal that the homosexual population have difficulties of access to health services as a result of heteronormative attitudes imposed by health professionals. The discriminatory attendance implies in human rights violations in access to health services.

Conclusions

The non-heterosexual orientation was a determinant factor in the difficulties of accessing health care. A lot must still be achieved to ensure access to health services for sexual minorities, through the adoption of holistic and welcoming attitudes. The results of this study highlight the need for larger discussions about the theme, through new research and debates, with the aim of enhancing professionals and services for the health care of Lesbian, Gay, Bisexual, and Transgender Persons.

Keywords: Homosexuality, Comprehensive health care, Health services, Health services accessibility





OVERVIEW OF PHYSICAL AND MENTAL HEALTH CONCERNS

Mental Health Concerns

- Suicide
- Mood Disorders
- Anxiety Disorders
- PTSD
- Body Image / Eating Disorders
- Substance Use Disorders
- Personality Disorders





Adolescent Mental Health

- Suicide is 2nd leading cause of death in adolescents 15-24 years of age
- LGBT youth three times more likely to consider suicide than their peers
- LGBT youth have higher rates of completed suicide
 - Rates are highest in TG youth
- LGBT students are up to five times more likely than other students to report substance use of any kind



School Safety

- 57.6% of LGBTQ students felt unsafe at school because of their sexual orientation
 - 43.3% because of their gender expression
- 31.8% of LGBTQ students missed at least one entire day of school in the past month because they felt unsafe or uncomfortable
 - 10.0% missed four or more days in the past month
- More likely to be bullied:
 - School: 34% LGBT vs. 19% heterosexual
 - Online: 28% LGBT vs. 14% heterosexual



Health Concerns for Lesbian and Bisexual Women

- Women who have sex with women have higher rates of:
 - Breast Cancer
 - Ovarian and Cervical Cancer
 - Colon Cancer
 - Substance Use; including illicit substances, alcohol, and tobacco
 - Heart Disease
 - Depression and Anxiety
- Women who have sex with women...
 - Face challenges in finding friendly and knowledgeable providers
 - Are more likely to delay care



Health Concerns for Gay and Bisexual Men

- Men who have sex with men have higher rates of:
 - HIV/AIDS
 - Anal Papilloma
 - Hepatitis A and B
 - Substance and Alcohol Abuse/Dependence
 - Tobacco Use
 - Depression and Anxiety
 - Prostate, Testicular, and Colon Cancer
 - Intimate partner violence
 - Eating Disorders
- Men who have sex with men...
 - Face challenges in finding friendly and knowledgeable providers
 - Are more likely to delay care



Sexually Transmitted infection in the LGBTQ Population

- LGBT patients have higher rates of STIs than the general U.S. population
 - Less likely to have STI screening
 - STI burden is higher at baseline in adolescents (1/2 of all new infections each year)
- HIV in Transgender Population
 - Respondents were living with HIV (1.4%) at nearly five times the rate in the U.S. population (0.3%)
 - HIV rates were higher among transgender women (3.4%), especially transgender women of color
 - Nearly one in five (19%) Black transgender women were living with HIV
 - American Indian (4.6%) and Latina (4.4%) women also reported higher rates



Transgender People and Violence


- 30 to 60 percent of transgender people are victims of physical assault or abuse.
- Between 40 to 70% percent are victims of sexual assault.
- Highest if TG Women of color ages 15 to 34
 - Murder rate: 1/12,000 vs 1/2600
 - Life Expectancy: 31 years of age





Transgender Patient Healthcare Experience

- Transgender communities:
 - Are currently underserved
 - Are more likely to delay care due to fear of discrimination or past negative experiences
 - Face challenges in finding friendly and knowledgeable providers
 - Higher rates of depression, anxiety and suicide
 - Higher incidence of HIV/AIDS









HOW CAN WE DO A BETTER JOB?

Create a welcoming practice:

- Consider the overall experience of LGBT patients seeking care.
 Creating a safe space will help patients feel comfortable and share critical information.
- Do you have pride symbols, "safe space" stickers, or LGBT-themed magazines in the waiting area?
- Are all staff trained on how to maintain a safe and welcoming environment?
- Do you have a gender neutral bathroom for trans patients?



- <u>Practice forms: paperwork sets tone for encounter. Inclusive intake forms might ask:</u>
 - What is your gender? (male, female, transgender [male to female], transgender [female to male], gender non-conforming, other, declines to answer)
 - What sex were you assigned at birth? (male, female, or something else)
 - What is your sexual orientation? (include heterosexual, gay, lesbian, bisexual, queer, other, and declines to answer)
 - What sex/gender are your sexual partners? (Check all that apply options include none, male, female, or transgender)



- Language: follow the patient's example in using words to describe sexual orientation and gender identity.
 - If uncertain, ask directly for example, "What name would you like me to use when addressing you?
 - What pronouns would you like me to use when speaking about you with other providers?
 - Who have you brought with you today?



WHAT SHOULD I ASK?





Your patient just told you they are transgender

- What should Lask?
 - Is there a name that you prefer that is different from what is on your chart?
 - Is there a gender pronoun that you prefer that is different than what is on your chart?
 - Make sure your questions are "clinically relevant" and for the benefit of the patient

What shouldn't I ask?

Your patient just told you they are transgender...

- What should I ask?
 - Is there a name that you prefer that is different from what is on your chart?
 - Is there a gender pronoun that you prefer that is different than what is on your chart?
 - Make sure your questions are "clinically relevant" and for the benefit of the patient

- What shouldn't I ask?
 - Any question that is more about personal curiosity than the patient's benefit
 - Any question that is clinically irrelevant
 - Build trust and rapport with your patient before asking them personal questions (just like anybody else)
 - Be aware that trans people are often asked intrusive questions by strangers and may be wary



Vanderbilt's Trans Buddy Program

The Trans Buddy Program's goal is to increase access to care and improve healthcare outcomes for transgender people by providing emotional support to transgender patients during healthcare visits. We emphasize a patient-centered approach, with the goal of empowering the patient to make informed healthcare decisions. Trans Buddy recognizes the importance of intersectionality to our direct care practice, and we therefore aim to work with people of all identities with compassion and respect.

CONTACT US: (615) 875-2833

VANDERBILT UNIVERSITY

MEDICAL CENTER





Examples of Integrated Health Services

Tennessee Health Link

- Comprehensive care management
- 2. Care coordination
- 3. Health promotion
- 4. Transitional care
- 5. Patient and family support
- 6. Referral to social supports

PCMH

- 1. Patient-centered access
- 2. Team-based care
- 3. Population health management
- 4. Care management support
- Care coordination and care transitions
- 6. Performance measurement and quality improvement



Questions





51



APPENDIX

Vanderbilt LGBTQ Health

Team Members:

Mary Romano, M.D., M.P.H.
Cassie Brady, M.D.
Shayne Taylor, M.D.
Adam Huggins, M.D.
Julian Winocour, M.D.
Del Ray Zimmerman – Director, LGBTQ Health
Keanan Gottlieb – Research Analyst
Shawn Reilly– Trans-Buddy Coordinator
Jesse Ehrenfeld, M.D., M.P.H. – Director Emeritus

Program History:

- Office formed in 2012 2nd program in the nation
- Encompasses health education, clinical care, research
- Trans Health Clinics launched in 2018

Trans-Buddy Program

- Transgender specific patient navigator program
- Launched in 2015, provides free support for patients via trained volunteers (students can volunteer!)



Scholarship

- External funding in LGBTQ health from NIH, RWJF, LHF
- Published definitive clinical textbook in LGBT health
- Each year we provide on average 50 presentations and trainings







National Leadership

- AMA Board of Trustees
- GLMA Board of Directors
- AAMC LGBT Advisory Committee



Awards Received

- HRC Healthcare Equality Index Leadership Award
- Tennessee Hospital Association Diversity Award
- Nashville LGBT Chamber of Commerce Award
- Strobel Volunteer Award (Trans-Buddy finalist)

Selected Peer Reviewed Papers

- Important Considerations for Addressing LGBT Health Care Competency. Am J Public Health. 2015 Nov; 105 (11).
- The Opportunity for Medical Systems to Reduce Health Disparities Among Lesbian, Gay, Bisexual, Transgender and Intersex Patients. *J Med Syst.* 2015 Nov; 39 (11): 178.
- Transforming a Curriculum to Progress the Associate Degree Nurse to Advanced Practice. Nurse Educ. 2015 Sep-Oct; 40 (5): 241-3.
- A Systematic Review of the Literature on Weight in Sexual Minority Women. *Womens Health Issues*. 2015 Mar-Apr; 25 (2): 162-75.
- An Ecological Framework for Sexual Minority Women's Health: Factors Associated with Greater Body Dass. J Homosex. 2015; 62 (7): 845-82.

Additional Training Opportunities for Medical Students

- Sex, Sexuality, and Sexual Health
- Sexual Medicine and Reproduction Integrated Science Course
- LGBTI Health in Interdisciplinary Practice
- LGBTI Health Certificate Program

Resources to LGBTQ People

| Organization | Use |
|---------------------------------------|--------------------------------|
| Vanderbilt Program for LGBTQ Health | Finding a provider |
| PFLAG Nashville (and other locales) | Support for friends and family |
| GLSEN Tennessee | Support in schools |
| Oasis Center | LGBTQ Youth Programs |
| Lamdba Legal | Legal support |
| American Civil Liberties Union (ACLU) | Legal support |
| The Trevor Project | LGBT-focused suicide hotline |
| Tennessee Equality Project | Advocacy/political action |
| TVALS | Transgender support group |

